ROBERT GORDON
INTERIORS

MADE IN AUSTRALIA

BOX WALL LIGHT

Specification Sheet

This ceramic wall light brings a warm, ambient glow to interiors. Its sleek rectangular frame houses two globes, creating a contemporary statement with a quietly distinctive presence. Handcrafted in our Melbourne workshop. Proudly designed and made in Australia.

Available Glazes / Finishes:



225970 COAST



225991 STORM



225919 SALTBUSH



225925 STONE



225902 WHITE OCHRE



225908 POPPYSEED



225927 SHALE



225961 BONE



225906 RIVERGUM



2259OG OLIVE



225903 ROSE QUARTZ



225924S SAND




2259TC TERRACOTTA

Disclaimer: Due to the natural characteristics of clay and our high-temperature firing process, variations in colour and shade are an inherent feature of our ceramics. Our reactive glazes create unique finishes, ensuring no two pieces are exactly alike. If you are seeking a particular shade, we recommend selecting your piece in person to appreciate its true colour and finish.

ROBERT GORDON

INTERIORS



Measurements in mm. Not to scale.
Dimensions are nominal measurements only

SPECIFICATIONS

Product Code	2259
Title	Box Wall Light
IP Rating	IP20 - For indoor use in dry areas
Mounting	Wall Mounted
Dimensions	D:85mm H:245mm W:135mm (±5mm)
Voltage	220 - 240V AC 50hz
Weight	1.6kg
Globe	GU10 Globe 2xMax 5W 3000K *(not included)*
Certification #	WTF24F12291947L
Warranty	12 Month from date of purchase
Cleaning	We recommend the use of a damp cloth to remove dust and fine debris. Always ensure light is off before cleaning. This product should not be cleaned with abrasive cleaners. Improper treatment may void product warranty.

Lead times: Please allow up to 6-8 weeks for production

Disclaimer: Products in this specification manual must by regulation be installed by licensed and registered trade people. The manufacturer/distributor reserves the right to vary specifications or delete models from their range without prior notification. Dimensions are nominal measurements only. Dimensions and set-outs listed are correct at time of publication, however the manufacturer/distributor takes no responsibility for printing errors.

Designed and made in Australia by Robert Gordon Pottery


For more information on this product, please contact us:
03 5941 3144
sales@robertgordonaustralia.com

ROBERT
GORDON

INTERIORS

Thank you for purchasing high quality Australian made product, proudly designed and crafted by Robert Gordon Pottery. All our ceramic lighting products are made from high fired stoneware and adhere to all Australian standards and requirements.

To ensure correct function and safety, please read and follow all instructions carefully before assembly. Keep this document handy for future reference.



Installation instructions

1. Remove all packaging material from lighting product. Be careful not to discard any small parts such as screws that may be hidden within the boxing.
2. Use the mounting plate **(C)** as a template to mark the screw positions on wall. Also, mark the hole required for cables. Use a spirit level to ensure plate is level. Please note, once installed, ceramic pendant **(H)** will position roughly to the centre of mounting plate **(C)**.
3. Install the mounting plate **(C)** onto wall by the mounting screws **(F)** provided, using the wall anchors **(B)**, depending of the wall substrate.
4. Slide ceramic pendant **(H)** over mounting bracket **(A)** until ceramic rests on surface.
5. Make sure ceramic pendant **(H)** is secure turning the 2 blind screws **(G)** until screw thread comes into contact with the ceramic.
6. Direct the GU10 globe **(D)** into the globe holder **(E)**, and twist to secure. As the wall light has the option for 2 globes, one for the top and bottom, secure from both ends or choose a single side if that's your preference. If there is an exposed bulb holder, cover with the cap provided in this pack.

THIS ITEM MUST BE INSTALLED BY A LICENSED ELECTRICIAN. DO NOT EXCEED THE MAXIMUM WATTAGE RATING.

ROBERT GORDON

INTERIORS

Installation requirements

- Product must be installed by a qualified electrician.
- All wiring and installation of the light fitting must adhere to local and national wiring regulations. for eg. AS/NZS 3000:2007/Amendment 2:2012 Electrical installations.
- Do not exceed the maximum wattage rating.
- Ensure a suitable location for installation. This product is intended for indoor use only. Do not install in front of air flow vents or systems and areas compromised by moisture of dampness. If installation area is prone to moisture an appropriate exhaust fan may be required. Damage caused by corrosion is not a product fault, and as such not covered under product warranty.
- Check entire product before installation for any sign of damage. Do not install product if there appears to be signs of damage in any way.
- Ensure before any work is undertaken that the power is switched OFF at mains.
- Refer to the IP rating provided to install the product in a appropriate location.

Safety tips / Maintenance

- Always ensure the power is OFF and the light fitting has cooled down before carrying out any maintenance or cleaning on globe or pendant.
- To avoid damage to fitting, ensure the power lead and screws are secure before connecting the power.
- Ensure that the fitting does not come in contact with corrosive chemicals, etc.
- To clean Box wall light, wipe with a damp cloth making sure power is OFF.

Warranty

- This product is covered by a 12 month warranty, from date of purchase..
  Warranty does not begin from date of installation.
- This product must be installed by a licensed electrician. Warranty will be void if this requirement is not met.
- Retain proof of purchase and evidence of installation by a licensed electrician.
- Warranty will be void if there is any damage to product, due to improper usage or modification to fitting.
- Failure to follow the instructions in this manual may increase the risk of damage or injury and will void warranty.
- If luminaire is damaged, it shall be exclusively replaced by the manufacturer or his service agent or a similar qualified person in order to avoid a hazard.