ROBERT GORDON

INTERIORS

KILN 515 BASIN

Specification Sheet

A simple rectangular form with a modern profile. The largest of our basins, Kiln 515 is a statement piece. Designed and handmade in Australia, this custom piece is available in 6 different reactive glaze finishes.

Available Glazes / Finishes:



51570 COAST



51591 STORM



51506 RIVERGUM



515OG OLIVE



51508 POPPYSEED



51527 SHALE



51502 WHITE OCHRE




51503 ROSE QUARTZ



51524S SAND

Disclaimer: Due to the nature of clay and our manufacturing process, variations on shade and colour are a natural feature of ceramic product fired at high temperature. Our glaze formulas are reactive and vary from piece to piece. No two pieces are like. If you are wanting an exact shade, we would strongly recommend purchasing in person so you can see it in real life

ROBERT GORDON
INTERIORS



NOT TO SCALE

Measurements in mm.
Dimensions are nominal measurements only

SPECIFICATIONS

Product Code	515
Title	Kiln 515 Basin
Recommended Use	Domestic, Hotel & Commercial
Mounting	Above Counter
Dimensions	515 x 360 x 130mm
Capacity	Approx 12.5 Litres
Weight	10.5kg (±2kg)
Overflow	N/A
Material	High Fired Fully Virtified Stoneware
Plug & Waste	Suits 32 x 40mm connection waste (not included)
Warranty	Domestic Use - 7 Years Commercial - 1 Year

CLEANING

We recommend the use of soapy water or approved cleaners. This product should not be cleaned with abrasive cleaners. Improper treatment may void product warranty.

Lead times: Please allow up to 8 - 10 weeks for production

Disclaimer: Products in this specification manual must by regulation be installed by licensed and registered trade people. The manufacturer/distributor reserves the right to vary specifications ordelete models from their range without prior notification. Dimensions are nominal measurements only.Dimensions and set-outs listed are correct at time of publication however the manufacturer/distributor takes no responsibility for printing errors.

Designed and made in Australia by Robert Gordon Pottery

For more information on this product, please contact us:
03 5941 3144
sales@robertgordonaustralia.com

ROBERT
GORDON
INTERIORS

Your Robert Gordon Interiors Basin must be installed in accordance with RGI's supplied instructions, including, where specified, by qualified and authorized tradespersons. Do not modify or adapt your basin for the purpose of installation. Protect your basin from accidental damage when installed as part of a building process to avoid chips, cracks, and scratches from breakage.

Installation requirements

- Product must be installed by a qualified and licensed plumber.
- Use the correct waste to suit your basin. Each basin is supplied with technical specifications showing the recommended plug and waste connection size.
- Ensure no water is trapped under the sink. A silicone bead around the perimeter of the base of the basin is required to ensure that no water penetrates under the basin. If water does become trapped under the basin due to incorrect installation, water marks may appear.
- Install waste using 100% silicone and ensure it is left to dry for at least 24 hours prior to use
- Waste should be fixed hand tight only and not tightened mechanically.

Safety tips / Maintenance

- • Avoid placing hot items such as hair straighteners directly onto your basin product. Although the basin is heat resistant, excessive localized heat may cause damage, including thermal shock.
- Avoid placing or dropping anything heavy or sharp onto your basin product.